L	Hits	Search Text	DB	Time stamp
Number	1070			
24	1270	<pre>(flow near (cell chamber system apparatus device)) same imag\$3</pre>	USPAT; US-PGPUB	2004/07/26
25	631	<pre>((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)</pre>	USPAT; US-PGPUB	2004/07/26
26	449	<pre>(((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near</pre>	USPAT; US-PGPUB	2004/07/26 12:46
27	1541	(fluid flow solution)) (382/128,129,133,134).CCLS.	USPAT; US-PGPUB	2004/07/26 11:59
28	31	<pre>((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and ((382/128,129,133,134).CCLS.)</pre>	USPAT; US-PGPUB	2004/07/26 12:34
29	3496	(356/440,246,338,39,436).CCLS.	USPAT; US-PGPUB	2004/07/26
30	29	<pre>((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and ((356/440,246,338,39,436).CCLS.)</pre>	USPAT; US-PGPUB	2004/07/26
31	20	(((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and ((356/440,246,338,39,436).CCLS.)) not ((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and ((382/128,129,133,134).CCLS.))	USPAT; US-PGPUB	2004/07/26 12:40
32	5	("4338024" "4612614" "5003165" "5438408" "5690895").PN.	USPAT	2004/07/26
33	2593	6414321.URPN. (422/68.1,82.05).CCLS.	USPAT;	2004/07/26 12:36 2004/07/26
35	19	<pre>((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and</pre>	US-PGPUB USPAT; US-PGPUB	12:41 2004/07/26 12:41
36	16	((422/68.1,82.05).CCLS.) ((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and ((422/68.1,82.05).CCLS.)) not ((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and ((382/128,129,133,134).CCLS.)) ((((flow near (cell chamber system apparatus device)) same imag\$3) and (blood urine biolog\$ medic\$ biomedic\$)) not ((sheath\$ entrain\$ carrier) near (fluid flow solution))) and ((356/440,246,338,39,436).CCLS.)))	USPAT; US-PGPUB	2004/07/26 12:42

37	974	(flow near (cell chamber system apparatus	EPO; JPO;	2004/07/26
		device)) same imag\$3	DERWENT;	12:46
			IBM TDB	
38	165	((flow near (cell chamber system	EPO; JPO;	2004/07/26
		apparatus device)) same imag\$3) and	DERWENT;	12:46
}		(blood urine biolog\$ medic\$ biomedic\$)	IBM TDB	
39	129	(((flow near (cell chamber system	EPO; JPO;	2004/07/26
		apparatus device)) same imag\$3) and	DERWENT;	12:46
		(blood urine biolog\$ medic\$ biomedic\$))	IBM TDB	
		not ((sheath\$ entrain\$ carrier) near	_	
		(fluid flow solution))		
40	1	1994-288013.NRAN.	DERWENT	2004/07/26
				12:54
41	1	1997-080670.NRAN.	DERWENT	2004/07/26
				13:03